

# Product Brochure

# POS Innovative Solutions and Customer Engagement

MOBILE • RETAIL • RECEIPTS • HOSPITALITY • LABELS • KIOSK • TICKETS



Star Micronics, one of the world's largest POS providers, has designed a portfolio of printing, cash drawer and customer engagement solutions for any retail or hospitality establishment in POS, mPOS and mobile environments.

Embracing the mobility wave, Star's complementary SDKs allows users to utilize Star printers in tandem with Android<sup>TM</sup>, iOS iPad and iPhone devices to generate receipts for all of its printers.

Always leading-Always innovating, Star Micronics enables web-based printing solutions including: remote cloud printing, wireless cash drawer solutions, proximity-based printing and secure cash management.

#### SERVICE AND SUPPORT

All Star printers are backed by industry leading warranty service and support programs available throughout the United States, Canada and Latin America. Accessible from our Global Support site, Star Micronics offers SDKs and drivers for most platforms, such as iOS, Android and Windows.



Visit <u>www.starmicronics.com/support</u> to download SDKs, drivers and documentation.

#### SERVICE

Star is proud to offer two extended warranty service programs available for purchase to make customers feel even more confident when using Star printers.

Extend-A-Star	Swap-A-Star
Star's service program offers bumper to bumper coverage for warranted printer including parts, labor, print head and cutter     2 year programs are available for portable printers only	<ul> <li>Star's service program offers overnight replacement for warranted printer. All shipping expense including replacement printer and customer's returned printer is paid for by Star.</li> </ul>
<ul> <li>2 year programs are available for SP500, SP700, TSP100, TSP650II, TSP700II, TSP800II, FVP10, TSP1000, HSP7000 &amp; Klosk printers</li> </ul>	<ul> <li>2 year programs are available for portable printers only</li> <li>3 year programs are available for SP500, SP700, TSP100, TSP600II, TSP700II, TSP800II, FVP10, TSP1000, HSP7000 &amp; Kiosk printers</li> </ul>
• Extend-A-Star warranty program is available within 30 days of printer purchase only	• Swap-A-Star warranty program is available within 30 days of printer purchase only * TSP100EC0 printer comes with a FREE 1 year Swap-A-Star included with printer purchase.

#### **DRIVERS & SDK AVAILABLE**



# TECHNOLOGY SOLUTIONS



can manage their receipts digitally, for free and anonymously.

#### **OPTIONAL ACCESSORIES**



Automotive 24V Power Adapter: 24VDC to 12 VDC cigarette lighter

12VDC to 12 VDC cigarette lighter (DP8340 only)



PS8340 ADAPTER SET EC: 220VAC Power Supply Set (DP8340)

(FVP-10, TSP650II, TSP700II, TSP800II)

Automotive 12V Power Adapter:





PS-60 POWER SUPPLY: Universal 24VDC Output Power Supply for all other printers



Standard Powered USB Cable (HSP7000) Y Powered USB Cable (FVP-10 and TSP700II)



#### Splash Proof Cover for TSP100, TSP650II & TSP700II: Increase splash resistance with this easy-to-install splash proof cover! This cover easily fits over the top of the printer securely, ensuring hours of operation in the most harsh restaurant environments.



#### **Buzzer Alarm:**

The Buzzer is designed to connect directly to the RJ11 port on the back of the printer. When a print job is sent to the printers, the buzzer will sound off. This is beneficial for high noise environments like kitchens to alert cooks that orders have been sent to them.

## **mPOP<sup>™</sup> ACCESSORIES**





#### **Under-Counter Mounting Bracket**



# SANEI KIOSK PRINTER OPTIONS



Power Adapter Cable (CB-SK1-D3) Available for: SK1-21, SK1-22, SK1-24 SK1-31, SK1-32 SK1-41

#### Bezel paper detector (BZ-SK-1) Available for:

SK1-21, SK1-22, SK1-24 SK1-31, SK1-32

Large Paper Roll Holder (HL2) Available for: SK1-21 SK1-31

## Power Supply (PS60A) Available for:

SK1-21, SK1-22, SK1-24 SK1-31, SK1-32 SK1-41

# **MOBILE ACCESSORIES**

#### **4-Bay Battery Charger**




#### **Car Charger**





**Shoulder Strap** 

# **TYPICAL APPLICATIONS**




## PAPER SPECIFICATIONS

	1			
Printer	Part #	Model #	Description Thickness (mm)	Roll Length (m)
AsuraCPRNT, FVP-10, HSP7000, SK1-32SF4-Q, TSP100, TSP650 Resto, TSP650II, TSP700II	37963920	TRF80-D82-C12	80mm (3.15") Thermal Paper Roll (12 pack) 0.055	68
DP8340, SP200, SP300, SP500, SP700	87993850	RF76-D76-C12	76mm (3") Standard Bond Paper Roll 0.09	45.72
	87993940	RF76-D76-C12	76mm (3") 3-Ply Standard Bond Paper Roll 0.2	68
DP8340, SP200, SP500, SP700	87992590	RF76-D76-C12	76mm (3") 2-Ply Standard Bond Paper Roll 0.16	67
SK1-21ASF2-LQP, SK1-V21ASF2-LQP, SK1-31ASF4-LQP, SK1-V31ASF4-LQP	37963610	TRF58-D100-C25	58mm (2.28") Thermal Paper Roll w/ 1" core I.D. 0.0584	88.9
SK1-21ASF2-Q, SK1-V21ASF2-Q	37964760	TRF58-D120-C12	58mm (2.28") x 120mm (4.7" diameter) Thermal Paper Roll w/ 12mm core I.D. 0.058	189.6
SK1-22SF2-LQP	37964780	TRF58-D82-C24	58mm (2.28") x 82mm (3.2" diameter) Thermal Paper Roll w/ 24mm core I.D. 0.058	88
SK1-22SF2-Q, SK1-24SF2-Q	37964770	TRF58-D82-C12	58mm (2.28") x 82mm (3.2" diameter) Thermal Paper Roll w/ 12mm core I.D. 0.058	88
SK1-31ASF4-Q, SK1-V31ASF4-Q	37964790	TRF80-D120-C12	80mm (3.15") x 120mm (4.7" diameter) Thermal Paper Roll w/ 12mm core I.D. 0.058	189.6
SK1-41ASF4-LQ, SK1-41ASF4-LQP, TSP80011	37963930	TRF110-D100-C24	110 mm (4.3") Thermal Paper Roll 0.058	125
HL2 Option	37964800	TRF58-D200-C24	58mm (2.28") x 200mm (7.87" diameter) Thermal Paper Roll w/ 24mm core I.D. for HL2 option for SK1-21 Series 0.058	523.6
	37964810	TRF80-D200-C24	80mm (3.15") x 200mm (7.87" diameter) Thermal Paper Roll w/24mm core I.D. for HL2 option for SK1-31 Series 0.058	523.6
SM-S220i, SM-L200, SM-S230i	37962150	TRF58-D38-C12	58mm (2") x 38mm (1.4" diameter) Thermal Paper Roll 0.06	15
SM-T300, SM-T300i	37962190	TRF80-D38-C12	80mm (3.15") x 50mm (2" diameter) Thermal Paper Roll 0.061	29
SM-T400i	37962210	TRF112-D38-C12	112mm (4") x 38mm (1.4" diameter) Thermal Paper Roll 0.061	15
SW-14001	37964890	TRF112-D50-C12	112mm (4") High Temp Paper Roll 0.061	28
TSP1000, TUP500, TUP900	37996690	TRF80-D150-C24	80mm (3.15") x 152.5mm (6" diameter) Thermal Paper Roll (Mid-grade thicker paper) 0.08	200
TSP1000	37964040	TRF80-D150-C24	80mm (3.15") x 152.5mm (6" diameter) Thermal Paper Roll (4 pack) 0.06	204
TSP654 SK	37963040	TRK80-D82-C24	80mm (3.15") Full Coverage Adhesive Sticky Paper Roll (24 pack) 0.0863	26
TSP800II	37964880	TRF112-D100-C12HT	112mm (4") High Temp Paper Roll (6 pack) 0.082	83.5
TUP500, TUP900	87993440	TRF82-D200-C32	82.5mm (3.5") x 203.2 (8" diameter) Thermal Paper Roll (For large paper roll holder) 0.06	536
TUP900	37963960	TRF110-D150-C24	112mm (4") x 152.5mm (6" diameter) Thermal Paper Roll (4 Pack) 0.06	282
	37995650	TRF110-D150-C50	112mm (4") x 152.5mm (6" diameter) Thermal Paper Roll (Mid-grade thicker paper) 0.09	160
mPOP	37965970	TRF58-D50-C12	58mm (2") Thermal Paper Roll 0.06	15

# **RIBBON SPECIFICATIONS**

Printer	Part #	Model #	Description
	30980113	RC200B	Black Ribbon 1.2 M, Character Life
SP500	30982000	RC2000D	Black Indelible Ribbon
	30980114	RC200BR	Red/Black Ribbon, 600K/300K Red Character Life
	30980721	RC700BR	Black/Red Ribbon
SP700	30980731	RC700B	Black Ribbon
	30980742	RC700D	Black Indelible Ribbon
HSP7000	30981300	RC7KB	Black Ribbon 3M, Character Life

# COMMUNICATION INTERFACES



	mP0P™	Asura <i>CPRNT</i>	TSP100EC0	TSP100III	TSP650SK	TSP650II	FVP-10	TSP700II
Signif www.starmicronics.com	#POP							
PRODUCT TYPE	MOBILE POS	SELF-SERVICE MINI KIOSK		I	THERMAL LIN	NE PRINTERS	1	
SPECIAL FEATURES	Compact and SleekDesign     Printer-Cash Drawer     Scanner-Device Stand     Black and White Models     Compatible with IOS,     Android, and Windows     Cable Management with     Multiple Exit Options     Cash Drawer: 4 or 6 Bill     Adjustable Coin Slots     Bluetooth 2.1 and USB     connectivity	15" All-In-One Self-Service Kiosk     7" LCD Interactive Touch Screen     Reliable ARM Based CPU     256MB of Memory + Micro SDHC     up to 32GB     Integrated, Fast Thermal Printer     Magnetic Stripe Reader Optional     Internal Speaker     4 x USB Port, Ethernet, Audio Line     Out, MIC Input     32 Level Grayscale Printing     LED Lighting for Visual Feedback     Case Color: White	All Accessories Included: Interface & Power Cables, Intelligent futurePRNT" Software - Splash Proof Cover / Vertical Display Stand / Buzzer Options - Dedicated USB - Case Color: White or Gray - ECO Features: 75% Reduced Power Consumption 5%-70% Reduced Paper Consumption Recyclable Packaging	All Accessories included: Interface & Power Cables, Intelligent futurePRNT™ Software • Splash Proof Cover / Vertical Display Stand / Buzzer Options • Dedicated Ethernet, Wi-Fi or Bluetooth • Case Color: White or Gray • ProxiPRNT Ready • USB connector to power mobile devices	Liner-Free Repositioning Label Solution     Improves Order Accuracy up to 99%     Reliable Guillotine Cutter     Splash Proof Cover & Vertical Display Stand Options     Wall Mount Included     Case Color: White or Gray	Reliable Guillotine Cutter     Splash Proof Cover & Vertical Display Stand Options     Wall Mount Included     Case Color: White or Gray     Supported by Web <i>PRNT</i> Browser     Application     Available with Web <i>PRNT</i> & Apple MFI Certified Bluetooth Connectivity     WiFI Power Pack	Audible Notifications     Front Exit Printing     Under the Counter Mounting     Platform Extension     Waterproof     Case Color: Gray     WiFi Power Pack	Only Single Station     Barcode, Label, Ticket & Receipt Printer Available     Splash Proof Cover Option     External Paper Feed     Case Color: Putty or Gray     Supported by WebPRNT Browser Application     Available with WebPRNT & Apple MFI Certified Bluetooth connectivity (Bluetooth model enabled with black mark sensor for label printing)     WiFi Power Pack
JOURNAL			Daily Electronic Journal					TX
LABELS							TX	TX
MOBILE		TX .				¥		
POS	TX	TX	TX	T.X	TX	TX	IPX1 Certified	TX
SLIP								
TICKETS							TX	Up to 200gsm
FEATURES								
PRINTER SPEED	100mm/sec.	300mm/sec.	28 Receipts Per Minute 150mm/sec.	45 Receipts Per Minute 250mm/sec.	300mm/sec.	60 Receipts Per Minute 300mm/sec.	54 Receipts Per Minute 250mm/sec.	48 Receipts Per Minute 250mm/sec.
AUTOCUTTER	Guillotine	Partial Guillotine Cut	Partial Guillotine Cut	Partial Guillotine Cut with Emergency Tear Bar	Partial Guillotine Cut	Partial Guillotine Cut	Full / Partial Guillotine Cut	Full / Partial Guillotine Cut
PAPER WIDTH	58mm	58 / 65 / 80mm	80mm (58mm Using Guide Provided)	80mm (58mm Using Guide Provided)	80mm (58mm Using Guide Provided)	80mm (58mm Using Guide Provided)	58 ~ 80mm Fully Adjustable	80mm (82.5 and 58mm by Moving Pre-Installed Guide)
THICKNESS	0.053 ~ 0.075mm	0.053 ~ 0.085mm	0.060 ~ 0.085mm	0.053 ~ 0.085mm	0.060 ~ 0.085mm	0.060 ~ 0.085mm	0.060 ~ 0.15mm	0.060 ~ 0.15mm
PRINT WIDTH	54 or 48mm	72mm (80mm paper) 52mm (58mm paper)	50.8mm (58mm paper) 72mm (80mm paper)	50.8mm (58mm paper) 72mm (80mm paper)	72mm (80mm paper) 52mm (58mm paper)	72mm (80mm paper) 52mm (58mm paper)	50.8 ~ 72mm Fully Adjustable	50.8mm (58mm paper) 72mm (80mm paper) 80mm (82mm paper)
INTERFACE	Bluetooth 2.1 and USB	USB-Host x4 (Type A), USB-Host x1 (Type B), Line Out, MIC, LAN, MicroSDHC, Drawer Kick	USB 2.0 Full Speed with "Virtual" Serial Port Emulator	Ethernet with "Virtual" Serial Port Emulator Bluetooth 3.0	Serial, Parallel, USB, Ethernet, W-LAN	Serial, Parallel, USB, Ethernet, Bluetooth SPP & iAP (iOS Standard), Web <i>PRNT</i> Ethernet	Dual Interface USB + (Serial, Parallel, PoweredUSB or Ethernet)	Serial, Parallel, USB, Ethernet, Bluetooth SPP & iAP (iOS Standard), Web <i>PRNT</i> Ethernet
POWER SUPPLY	Integrated	Internal Power Supply with Power Cable Included	Internal Power Supply with Power Cable Included	Internal Power Supply with Power Cable Included	External, PS60 (Included)	External, PS60 (Included)	External, PS60 (Optional)	External, PS60 (Optional)
RELIABILITY	18 Million Lines	60 Million Lines	60 Million Lines	60 Million Lines	60 Million Lines	60 Million Lines	60 Million Lines	60 Million Lines
DIMENSIONS (w x h x d)mm	308 x 100 x 300	180 x 380 x 162	142 x 132 x 204	142 x 132 x 204	142 x 132 x 202	142 x 132 x 202	144 x 114 x 227.7	147 x 148 x 213
TYPICAL APPLICATIONS	Retail, Point of Sale	Digital Signage, Food Service, Healthcare, Lodging, Lottery & Gaming, Retail, Self-Service, Ticketing	Food Service, Retail, Self-Service	Food Service, Kitchen, Retail, Self-Service	Food Service & Delivery, Kitchen, Labels / Warehouse	Food Service, Retail, Self-Service	Banking & Credit Union, Food Service, Kitchen, Retail, Self-Service	Banking & Credit Union, Labels / Warehouse, Lottery & Gaming, Retail, Self-Service

	1								
	TSP800II	TSP800IIRx	TSP1000	SP500	SP700	SP298	DP8340	HSP7000	TUP500
SCOIF WWW.starmicronics.com	5	<b>\$</b>	۲			•			
PRODUCT TYPE	T	HERMAL LINE PRINTER	RS		MATRIX IMPA	CT PRINTERS		HYBRID PRINTER	KIOSK PRINTERS
SPECIAL FEATURES	112mm Wide Paper Format     Automatic A4 to A6 Scalable     Driver     Barcode, Label & Ticket Printer     External Paper Feed     Case Color: Putty or Gray     Supported by Web <i>PRNT</i> Browser     Application     Available with Web <i>PRNT</i> & Apple     MFI Certified Bluetooth connectivity     WiFi Power Pack	Locking Paper Chamber     Kensington Lock Slot     Scalable Raster Driver     External Power Supply Included     Black Mark Sensor     Case Color: Gray     Supported by WebPRNT Browser     Application     Available with WebPRNT & Apple MFI Certified Bluetooth connectivity     WiFi Power Pack	<ul> <li>7" Paper Roll Capacity</li> <li>Includes 30 Ticket / Receipt Stacker</li> <li>Black Mark Sensors</li> <li>Ticket Stacker Sensor</li> <li>Case Color: Putty, Gray or Red</li> <li>WiFi Power Pack</li> </ul>	Tear Bar & Auto Cutter Versions     6 Position Black Mark Sensor     Paper Rewind Version     Buzzer Alarm Option     Near End Paper Sensor Option     Case Color: Putty or Gray     WiFi Power Pack	Unique Wipe Clean / Splash-Proof Design Longer Ribbon Life Cost-Effective Two Color Printing Capability Supported by WebPRNT Browser Application Available with WebPRNT & Apple MFI Certified Bluetooth connectivity Case Color: Putty or Gray WiFI Power Pack	Auto Side Loading     Instant Top of Form     Positioning     Case Color: Putty or Gray	Two Color Printing Capability     Friction or Sprocket Versions     Multiple Copies     12 VDC Power     Case Color: Putty	3 Printer Versions: • HSP7543: Hybrid Combo without MICR • HSP7643: Hybrid Combo with Top Position MICR • HSP7743: Hybrid Combo with Bottom Position MICR • Intelligent Front Loading • WiFi Power Pack	Looping Presenter     Occument Capture     Near End Paper Sensor     250mm Diameter Paper Roll     Option     Optional Flashing LED Bezel     Open Frame or Modular Solution     for 80, 82.5 or 112mm Receipt     Output     Flashing Paper Exit Guides
JOURNAL	TX			TX	TX				
LABELS	TX								
MOBILE									
POS	TX	TX	TX	TX	TX	TX	TX	74	TX
SLIP						X		TX .	
TICKETS	Up to 150gsm	TX	With Stacker			The second secon	The second se		TX
FEATURES									
PRINTER SPEED	37 Receipts Per Minute 180mm/sec.	37 Prescriptions Per Minute 180mm/sec.	34 Receipts Per Minute up to 180mm/sec.	12 Receipts Per Minute 7.0 ~ 7.5 Lines Per Second	13 Receipts Per Minute 4.7 ~ 8.9 Lines Per Second	3.1 Lines Per Second	2.0 Lines Per Second	Thermal: 48 Receipts Per Min. Slip: 4.82 Lines Per Second	Up to 220mm/sec.
AUTOCUTTER	Full / Partial Guillotine Cut with Tear Bar	Full / Partial Guillotine Cut with Tear Bar	Full Guillotine Cut	Full / Partial Cut or Tear Bar Models	Full / Partial Guillotine Cut with Tear Bar or Tear Bar Only Models	Slip Printer	Tear Bar Only	Partial Guillotine Cut	TUP592: Full Guillotine Cut + Present TUP542: Full Guillotine Cut
PAPER WIDTH	112mm standard, (82.5, 58 or 80mm Options with User Installable Paper Guide Option)	112mm standard, (82.5, 58 or 80mm Options with User Installable Paper Guide Option)	45 ~ 82.5mm	76mm (58mm Using Guide Provided)	76mm (69.5 and 58mm Using Guide Provided)	Minimum 80mm	114.3mm	Thermal: 80mm (76, 58mm Using Guide) Matrix: 68 ~ 230mm	45 ~ 82.5mm Adjustable
THICKNESS	0.060 ~ 0.15mm	0.060 ~ 0.15mm	0.060 ~ 0.15mm	0.070 ~ 0.10mm	0.060 ~ 0.10mm	0.090 ~ 0.20mm	0.070 ~ 0.090mm	Thermal: 0.06 ~ 0.085mm Matrix: 0.09 ~ 0.31mm	0.060 ~ 0.15mm
PRINT WIDTH	104mm	104mm	80mm on 82.5mm Wide Paper	45mm (58mm paper) 63mm (76mm paper)	45mm (58mm paper) 63mm (76mm paper)	63mm	84.3mm	Receipt: 51 / 68 / 72mm Slip: max. 85.4mm	Max. 74mm
INTERFACE	Serial, USB, Ethernet, Bluetooth SPP & iAP (iOS Standard), Web- <i>PRNT</i> Ethernet	Serial, Parallel, USB, Ethernet, Bluetooth SPP & iAP (iOS Standard)	Serial, Parallel, USB, Ethernet	Serial, Parallel, USB, Ethernet	Serial, Parallel, USB, Ethernet, Bluetooth, Web <i>PRNT</i> , W-LAN	Serial or Parallel	Serial or Parallel	Serial, Parallel, USB, PoweredUSB, Ethernet	Serial, Parallel, USB, Ethernet
POWER SUPPLY	External, PS60 (Optional)	External, PS60 (Included)	External, PS60 (Optional)	Internal Power Supply with Power Cable Included	Internal Power Supply with Power Cable Included	External, PS60 (Optional)	External, PS8340 (Optional)	External, PS60 (Optional)	External, PS60 (Optional)
RELIABILITY	37 Million Lines	37 Million Lines	60 Million Lines 1 Million Cuts	22 Million Lines	22 Million Lines	9 Million Lines	10 Million Lines	Thermal: 60 Million Lines Slip: 37 Million Lines	60 Million Lines
DIMENSIONS (w x h x d)mm	180 x 148 x 213	180 x 148 x 213	161 x 249 x 306.5	140 x 163 x 225	160 x 152 x 245	180 x 138.5 x190	202 x 98 x 200 (without Paper Holder)	186 x 177 x 296	160.0 x 234.1 x 179.0
TYPICAL APPLICATIONS	Banking & Credit Union, Field / Food Service & Delivery, Law Enforcement, Lodging	Healthcare	Food Service, Lottery & Gaming, Ticketing	Kitchen	Kitchen	Kitchen	Field Service & Delivery	Banking & Credit Union, Retail	Lottery & Gaming, Self-Service, Ticketing

	TUP900	SK1-20	SK1-30	SK1-40	SM-L200	SM-S230i	SM-T300/i	SM-T400i
Signif www.starmicronics.com					and the second s		<b>N</b>	<b>N</b>
PRODUCT TYPE		KIOSK PI	RINTERS			PORTABLE	PRINTERS	
SPECIAL FEATURES	Looping Presenter     Document Capture     Near End Paper Sensor     250mm Diameter Paper Roll     Option     Open Frame or Modular Solution     for 80, 82.5 or 112mm Receipt     output     Flashing Paper Exit Guides	2 Inch Easy Maintenance Kiosk Printer with Auto Cutter     Compact & Light Weight     Full & Partial Cut (command selectable)     Easy to integrate     SK1-22: Drop-in Paper Loading     SK1-24: Front Paper Loading	<ul> <li>3 Inch Easy Maintenance Kiosk Printer with Auto Cutter</li> <li>Compact &amp; Light Weight</li> <li>Full &amp; Partial Cut (command selectable)</li> <li>Easy to integrate</li> <li>SK1-32: Drop-in Paper Loading</li> </ul>	4 Inch Easy Maintenance Kiosk Printer with Auto Cutter Compact & Light Weight Full & Partial Cut (command selectable) Easy to integrate	2 Inch Portable Printer     Compact and Cost     Effective Design     Bluetooth low energy     (BLE 4.0) for IOS and     Bluetooth 3.0 for     Android and Windows     Backlit LCD Display     Convenient USB Port     for Charging     - 3-Track Magnetic Stripe     Reader Optional	2 Inch Portable Printer     Compact and Lightweight     Design     Bluetooth 2.1 + EDR/USB     2.0 Full Speed     Barcode/Graphics     Printing Supported     High Speed Printing:     80mm/sec     Available with WebPRNT     Browser Application     Magnetic Stripe Reader Optional	3 Inch Durable Portable Printer     Long Battery Life (11hr @ Smin printing intervals) Dust Protected, Splash Proof (IP54 Certified) Wireless LAN LCD Display Supported by WebPRNT Browser Application Apple MFI Certified Bluetoth Connectivity Magnetic Stripe Reader Optional	4 Inch Durable Portable     Printer     Dust Protected, Splash     Proof (IP54 Certified)     Long Battery Life (20hr @     5min printing intervals)     Backlit LCD Display     Magnetic Stripe Reader     Optional     Supported by WebPRNT     Browser Application     Apple MFI Certified-     Bluetooth Connectivity
JOURNAL								
LABELS								TX -
MOBILE					TX	TX .	IP54 Certified	IP54 Certified
POS	TX	TX	TX	TX	The second secon	TX .	TX	
SLIP								
TICKETS	TX	TX	TX	TX				
FEATURES								
PRINTER SPEED	150mm/sec.	200mm/sec.	200mm/sec.	150mm/sec.	35mm/sec.	80mm/sec.	75mm/sec.	80mm/sec.
AUTOCUTTER	TUP992: Full Guillotine Cut + Present TUP942: Full Guillotine Cut	Full / Partial Guillotine Cut (command selectable)	Full / Partial Guillotine Cut (command selectable)	Full / Partial Guillotine Cut (command selectable)	Tear Bar	Tear Bar	Tear Bar	Tear Bar
PAPER WIDTH	80 ~ 112mm Adjustable	58mm / 60mm	58mm / 60mm / 80mm 83mm	80mm / 83mm / 112mm	58mm	58mm	80mm	112mm
THICKNESS	0.060 ~ 0.15mm	0.060 ~ 0.15mm	0.060 ~ 0.15mm	0.060 ~ 0.15mm	0.053 ~ 0.065mm	0.065 ~ 0.070mm	0.060 ~ 0.070mm	0.115 ~ 0.130mm
PRINT WIDTH	72mm ~ 104mm	54mm ~ 56mm	54mm ~ 80mm	72mm ~ 104mm	48mm	48mm	72mm	108mm
INTERFACE	Serial, Parallel, USB	Dual Serial (RS232C) & USB (V2.0 FULL SPEED)	Dual Serial (RS232C) & USB (V2.0 FULL SPEED)	Dual Serial (RS232C) & USB (V2.0 FULL SPEED)	Bluetooth 3.0, BLE (4.0)	Bluetooth Ver 2.1 + EDR Class 2 (10m), USB 2.0 Full Speed	Serial, Bluetooth SPP & iAP (iOS Standard), Wireless LAN	Serial, Bluetooth SPP & iAP (iOS Standard)
POWER SUPPLY	External, PS60 (Optional)	External, PS60 & CB-SK1-D3 (Optional)	External, PS60 & CB-SK1-D3 (Optional)	External, PS60 & CB-SK1-D3 (Optional)	1700mAh Lithium Ion Rechargeable Battery Charger Included	1100mAh Lithium Ion Rechargeable Battery Charger Included	1800mAh Lithium Ion Rechargeable Battery Charger Included	2200mAh Lithium Ion Rechargeable Battery Charger Included
RELIABILITY	37 Million Lines	200 Million Pulses 1.5 Million Cuts	200 Million Pulses 1.5 Million Cuts	200 Million Pulses 1.5 Million Cuts	37 Million Lines	37 Million Lines	37 Million Lines	37 Million Lines
DIMENSIONS (w x h x d)mm	192 x 249.3 x 179	<b>SK1-21:</b> 104 x 145.5 x 85.4 <b>SK1-22:</b> 104 x 140.3 x 69.7 <b>SK1-24:</b> 99 x 118 x 123	<b>SK1-31:</b> 127 x 145.5 x 85.4 <b>SK1-32:</b> 128 x 174.5 x 74.2	<b>SK1-41:</b> 160.9 x 159.3 x 88.1	83 x 44 x 122.5	80 x 44 x 114	120 x 58 x 130	151 x 136 x 63
TYPICAL APPLICATIONS	Lottery & Gaming, Self-Service, Ticketing	Gas Station Pump, Lottery & Gaming, Self-Service, Ticketing	Banking & Credit Union, Lottery & Gaming, Self-Service, Ticketing	Lottery & Gaming, Self-Service, Ticketing	Field / Food Service & Delivery / Retail	Field / Food Service & Delivery / Retail	Field / Food Service & Delivery, Labels / Warehouse, Retail	Field / Food Service & Delivery, Labels / Warehouse, Law Enforcement, Retail

	SMD2-1214/1317/1617	CD3-1313/1616			
SCOIF WWW.starmicronics.com					
PRODUCT TYPE	SMD2 MOBILITY CASH DRAWERS	CD3 TRADITIONAL CASH DRAWERS			
SPECIAL FEATURES	Multiple sizes for multiple environments: 12x14, 13x17 or 16x17     Quality All Steel construction     Printer driven connection (printer cable included)     Kensington lock for added security     DK-Aircash ready (available for W-LAN, LAN or Bluetooth communication)     Media slot for Check (available on 1214 and 1617)	Multiple sizes for multiple environments: 13x13 or 16x16     Cost effective standard cash drawer - Durable steel construction and black coated finish     Printer driven connection with bottom exit cable (cable included)     Key lock at front center for manual release     Dual media slots     Not branded			
CASH VOLUME	Low to High	Standard to High			
WEIGHT	13.2 lbs, 15.4 lbs and 17.6 lbs	9.9 lbs and 16.7 lbs			
SIZE	Compact (12x14), Standard (13x17) and Large (16x17)	Standard (13x13) and Large (16x16)			
DK-AIRCASH	The second se				
COLORS	Black or White	Black			
FEATURES					
DIMENSIONS (W x L x H)	11.8" x 13.8" x 4.5" 13.0" x 16.9" x 4.1" 15.9" x 16.7" x 4.4"	12.99" x 13.2" x 4.1" 16.1" x 16.4" x 4.4"			
DRAWER	1 Media Slot, Long 2 Media Slots, Short	2 Media Slots, Short			
CASH TILL	Removable ABS Cash Till; 5 Bill / 4 Coin or 5 Bill / 5 Coin	3 Bill / 5 Coin; 4 Bill / 5 Coin 4 Bill / 8 Coin; 5 Bill / 8 Coin			
SECURITY	Kensington Lock Compatible Keys (2)	Emergency release lever is located underneath the cash drawer			
CONNECTIVITY	Standard Printer Driven Cable Included	Standard Printer Driven Cable Included			
DK-AIRCASH CONNECTIVITY	Ethernet or Bluetooth SPP & iAP (iOS Standard)				
OPTIONS	Under-Counter Mounting Brackets     DK-AirCash with Power Supply     Locking Till Cover     Tills     Spare Key	Under-Counting Mounting Brackets     Spare Keys			
TYPICAL APPLICATIONS	Banking & Credit Union, Food Service, Lodging, Retail	Banking & Credit Union, Food Service, Lodging, Retail			

#### **DK-AirCash**

Star's DK-AirCash enables secure wireless control of your cash

drawer from any tablet device and mobile printer. Available in Ethernet, WLan Bluetooth and MFi Bluetooth models, the DK-AirCash is a cost effective solution to upgrade your cash drawer's compatibility for mPOS.

Used with the SMD2 mobility cash drawer, the DK-Aircash can be integrated inside the cash drawer making it invisible to retailers and customers.

Used with the CD3 or other cash drawer, the DK-Aircash will be mounted either on the back or the side of the cash drawer.

# star

Star Micronics America, Inc.

800-782-7636 sales@starmicronics.com www.starmicronics.com

www.allreceipts.com www.starcloudservices.com www.asuracprnt.com

Copyright © 2016 Star Micronics America, Inc. All rights reserved. Star Micronics and the Star Logo are trademarks of Star Micronics America, Inc.